# 24-Inch LED RGBCW Wall Fixture Specification

Description

Goldsuno 24 inch modern light fixture adopts a stylish and simple appearance design, which adds a modern sense to the building wall, presents a unique lighting effect when lighting. It is great ideal for garden, corridor, patio, any more exterior application.

Features

【**Brightness & RGBWW Adjustable**】Offer warm white and cool white from 2700K to 6000K. Provide 16 million colors.1%-100% brightness is adjustable; DIY the scene modes available.

【**Voice Control**】Compatible with Alexa and Google Assistant.A simple dialogue can turn LED Wall Lighting on or off and adjust more colors.

【**APP Intelligent Control**】 Download TUYA Smart APP to connect and enjoy intelligent control. Only support 2.4 GHz Wi-Fi. 1 Make your own schedule to turn off/on wall light; 2 Control wall lighting in groups; 3.Remotely control the led wall light through the APP; 4.Share other devices to control the led smart wall lights together; 5.With memory function will stay at the last setting you choose while turn on again.

【**Bluetooth Control**】Control your smart lighting from anywhere in your house after bluetooth connected.

【**Music Snyc**】 The smart recessed lighting can change the color with the beat of the music or the sound of the game.

【**Scheduled On-Off** 】Enjoy the benefits of smart living by scheduling your lights to wake you up in the morning, to turn on when you arrive ho

Dimension Drawing

Unit: mm

615

124

30

89

Specification

Input Power	**24W**
Input Voltage:	100-277V
Lumen	**650LM**
Halogen Equivalent	**65W**
CRI	>80Ra
Material	Aluminium + PC
LED Chip	SMD2835
Color Temperature	RGB+C+W
Dimension	615*125*88.5mm
IP Rating	IP65 waterproof
Housing Color	Brown/ Black
Working Temp	-4F to 104F
Warranty	3 Years
Lamp Life	36000hrs
Certification	ETL , cETL

Great Features and Benefits

- **Appearance:** Fashionable & high quality & elegant design, with unique appearance, easier for marketing.
- **RF Remote Control:** ON/OFF Switch, different color changes, brightness adjustable, flash can be realized by RF remote control.
- **Paint:** Anti resistant and anti-corrosion powder , the fixture color keep the same after many years using.
- **Waterproof :** IP65 design for rain and snow, ensures the fixture is protected against all the weather elements.
- **Installation:** The mounting plate meet 4" US standard Junction Box, easy for installation.
- **Applications :** Ideal for outdoor-decorating garden, corridor, patio, balcony, villa, walkway, pillars.

PHOTOMETRIC DATA

UNIT:cd

──	C0/180 115.5°
──	C30/210 120.8°
──	C60/240 127.4°
──	C90/270 130.3°

AVERAGE BEAM ANGLE(50%):123.5 DEG

LUMINOUS INTENSITY DISTRIBUTION

──	C0/180 115.5°
──	C30/210 120.8°
──	C60/240 127.4°
──	C90/270 130.3°